



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

CofC

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15568.28

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In application of

Martin

Serial No.: 10/583,882

Filed: Dec. 17, 2004

Confirmation No.: 8754

For: *APPARATUS FOR BIO-DECONTAMINATION OF ENCLOSURES*

Examiner: Sean E Conley

Patent No.: 7,674,440 B2

Issue Date: Mar. 9, 2010

Art Unit
1797

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JUL 28 2010
of Correction

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

8/27/2010 MBLAWC 00000013 7674440


01 FC:1811

100.00 0P

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 12 day of July, 2010.

Respectfully submitted,




DANA L. TANGREN
Attorney for Applicant
Registration No.: 37,246
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 14 day of July, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 169246 in the amount of \$100

DLT:tg
2915591_1



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM

PATENT
Docket No. 15568.28

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Martin

Serial No.: 10/583,882

Filed: Dec. 17, 2004

Confirmation No.: 8754

For: *APPARATUS FOR BIO-DECONTAMINATION OF
ENCLOSURES*

Examiner: Sean E Conley

Patent No.: 7,674,440 B2

Issue Date: Mar. 9, 2010

Art Unit
1797

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Commissioner:

In accordance with the provisions of 37 C.F.R. § 1.323, which implements 35 U.S.C. § 255, the Director is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form PTO/SB/44 reflects the desired corrections.

Payment in the amount of \$100, as set forth in 37 C.F.R. § 1.20(a) is submitted herewith to cover the costs for issuance of the requested Certificate of Correction. The Commissioner is hereby authorized to charge payment of any of the following fees that may be applicable to this communication, or credit any overpayment, to Deposit Account No. 23-3178: (1) any filing fees

required under 37 CFR § 1.16; (2) any patent application and reexamination processing fees under 37 CFR § 1.17; and/or (3) any post issuance fees under 37 CFR § 1.20. In addition, if any additional extension of time is required, which has not otherwise been requested, please consider this a petition therefore and charge any additional fees that may be required to Deposit Account No. 23-3178.

Dated this 12 day of July, 2010.

Respectfully submitted,




DANA L. TANGREN
Attorney for Applicant
Registration No.: 37,246
Customer No.: 22913

WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, UT 84111
Phone: 801-533-9800
Fax: 801-328-1707

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Attention: Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 14 day of July, 2010.

Respectfully submitted,



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323
PTO Form PTO/SB/44 and check No. 169246 in the amount of \$100

DLT:tgp
2915591_1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,674,440 B2

APPLICATION NO. : 10/583,882

ISSUE DATE : Mar. 9, 2010

INVENTOR(S) : Martin

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 41, change "filter" to --exhaust filter--

Column 7

Line 12, change "fan" to --internal fan--

Line 13, change "fan" to --external fan--

Line 38, delete "as"

Column 8

Line 7, delete "is"

Line 9, change "direction" to --directing--

MAILING ADDRESS OF SENDER (Please do not use customer number)

DANA L. TANGREN, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,674,440 B2

APPLICATION NO. : 10/583,882

ISSUE DATE : Mar. 9, 2010

INVENTOR(S) : Martin

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 41, change "filter" to --exhaust filter--

Column 7

Line 12, change "fan" to --internal fan--

Line 13, change "fan" to --external fan--

Line 38, delete "as"

Column 8

Line 7, delete "is"

Line 9, change "direction" to --directing--

MAILING ADDRESS OF SENDER (Please do not use customer number)

DANA L. TANGREN, WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111